
How to buy and sell wrapped TEXITcoin (wTXC)

By Mati Allin (x.com/MatiAllin)

TEXITcoin is part of the Honest Money ecosystem (honest.money).



Move TXC onto Ethereum, trade wTXC for USDC, and connect the process to your bank account.

SETUP 03 | SELL 05 | BUY 07 | UNWRAP 09

Why use a DEX? Page 2. Clickable links include printed destinations.

WHY USE A DEX?

Trade from your own wallet.

A decentralized exchange (DEX) lets you swap through blockchain contracts. A centralized exchange (CEX) holds assets in an account it operates.

What you gain with a DEX

01 Keep custody between trades.

You authorize a swap from your wallet and receive the result there. The DEX leg needs no exchange deposit or later withdrawal.

02 Reduce exchange custody risk.

You avoid leaving that trading balance with an exchange that could be hacked, become insolvent, or suspend withdrawals.

03 Verify the result on-chain.

The settlement and token transfers are visible on Ethereum. You can check what actually reached your address.

04 Access an existing on-chain market.

A DEX pool can support trading without a CEX listing. You still need sufficient liquidity and an executable quote.

IN PRACTICE	DEX	CEX
Access	Connect a compatible wallet	Create an exchange account
Custody	Your wallet and approvals	Exchange controls deposits
Best fit here	Swap wTXC and USDC	Move money to/from your bank

The trade-offs: you manage keys, approvals and gas, and remain exposed to contract bugs and price impact. Swaps are generally final. DEX websites may restrict access; transactions are public. A CEX can offer bank transfers and account support.

Sources: [4], [8]. Full URLs on page 11.

WALLET SETUP

Start with the right network.

I prefer Google Chrome on a computer for this walkthrough. A larger screen makes addresses, networks and wallet prompts easier to check.

ASSET	NETWORK	PURPOSE
TXC	**TEXITcoin network**	Native TEXITcoin.
wTXC	**Ethereum mainnet**	Wrapped TXC for DEX trades.
ETH	**Ethereum mainnet**	Pays network fees (gas).
USDC	**Ethereum mainnet**	Dollar stablecoin used here.

Set up MetaMask once



1 Install the Chrome extension.

Go directly to MetaMask (metamask.io). Install from that site; avoid search ads and lookalike domains.

2 Create and back up your wallet.

For this guide, use a separate MetaMask wallet with the recovery-phrase setup. Write its 12 words in order on paper and store them securely.

3 Select Ethereum mainnet.

Copy your Ethereum receive address, beginning with **0x**. Keep ETH available for approvals and outgoing transfers. A $10-$20 starting gas budget may be enough; use the live fee estimate.

Your recovery words control your funds.

Never share them or photograph them. Do not save them in notes, email, cloud storage or chat. Enter them only when creating or restoring your chosen wallet on its verified site or app.

Sources: [5], [1]. Full URLs on page 11.

NATIVE TXC WALLET

Use your Beekeeper coin.

The same Beekeeper cold storage coin and Honest Money wallet work for native TXC. Keep the MetaMask trading wallet separate in this walkthrough.



A physical copy of your recovery phrase

The Beekeeper coin (blockchainmint.com/product/bee) carries recovery words beneath its tamper-evident sticker. Eligible U.S. TEXITcoin miners can check their dashboard for a complimentary coin, subject to availability.

1 Import your coin or create a new wallet.

Open Honest Money (mobile.honest.money). Choose **Import seed phrase** to use the coin's 12 words, or create a wallet and back up the 24 words it generates. Follow the coin-opening instructions in source [7]; do not photograph the phrase.

2 Enable the chains you need.

Go to **Settings (gear) > Chains**. Turn on **TEXITcoin** and **Ethereum**. On the home screen, use the arrows, dots or swipe to select the TEXITcoin card.

3 Copy your native TXC address.

Choose **TEXITcoin > Receive**. Native addresses can begin with **T** or **txc1q**. If moving funds from an older wallet, send a small test and wait for confirmation.

Mining payouts: verify the address in your mining profile (mine.honest.money/dashboard/profile). Your TXC web wallet (wallet.texitcoin.org) also works. Moving coins does not change future payout settings.

Sealed coin versus everyday wallet

A sealed coin can stay offline and be watched by its public address. Once you import its recovery phrase into an online wallet, that wallet is hot. Keep the phrase and the coin secure.

Sources: [6], [7]. Full URLs on page 11.

SELL / 1

Wrap TXC into wTXC.

Already holding wTXC on Ethereum? Continue to page 6. If you hold native TXC, the bridge provides the Ethereum token used for DEX trading.

WTXC TOKEN CONTRACT / ETHEREUM MAINNET

`0x9FC65df3997073B8551Ffd617154B5102fACbb88`

Symbol: wTXC | Decimals: 8 | Token identity, not a deposit address

TXC	→	BRIDGE	→	wTXC
Your native wallet		Wrap		Your MetaMask wallet

1 Choose TXC to wTXC and your destination.

Open the wTXC bridge (wtxc.texitcoin.org). Select **Have TXC / Want wTXC**. Enter a small amount within the live limits, then paste your **MetaMask Ethereum receive address**. Use your own self-custody address.

2 Review the quote and create the order.

Confirm the amount, destination and wrapping fee, then choose **Get Started**. The current displayed wrap fee is 5%; check the live quote each time.

ILLUSTRATION AT A 5% WRAP FEE

100 TXC	-	5 TXC	=	95 wTXC
You send		Bridge fee		You receive

3 Pay the order and wait for completion.

Copy the **new order's TXC deposit address**. Send the exact requested TXC amount from your native wallet, leaving enough for its network fee. Follow the displayed deadline and keep the order ID. When complete, check MetaMask on Ethereum.

Hidden balance? In MetaMask, use **Import tokens / Add custom token** with the full contract above. Check **wTXC** and **8 decimals**. Network fees are separate from the bridge fee.

Sources: [2], [3], [9]. Full URLs on page 11.

SELL / 2

Sell wTXC. Cash out USDC.

CoW Swap is the primary DEX route in this guide. Uniswap is an alternative. Keep Ethereum selected throughout the trade and USDC transfer.

WTXC TOKEN CONTRACT / ETHEREUM MAINNET

`0x9FC65df3997073B8551Ffd617154B5102fACbb88`

Symbol: wTXC | Decimals: 8 | Token identity, not a deposit address

wTXC MetaMask → **USDC** After the DEX swap → **Coinbase** Then your bank

1 Set the trade to wTXC for USDC.

Open CoW Swap (swap.cow.fi) and connect MetaMask. In the sell-token selector, paste the wTXC contract above and import it. Choose **Buy: USDC** on Ethereum.

2 Review, approve and sign.

Enter a small amount. Review the output, fees, minimum received and recipient. Approve the sell token if asked, then sign the swap order. **Approval alone is not a trade.** Wait for the order to fill and USDC to arrive.

3 Send USDC to Coinbase on Ethereum.

In Coinbase (www.coinbase.com), choose **Receive > USDC > Ethereum**. Copy that address into MetaMask's **USDC > Send** flow. Send a small test, wait for Coinbase to credit it, then send more. Keep ETH for gas.

4 Cash out to your linked bank.

Once available, select **Cash out** from your USDC or USD balance. Convert USDC to USD if required, choose your bank, and review fees and timing.

Alternative: Uniswap (app.uniswap.org). Connect on Ethereum, import the contract above, choose wTXC to USDC, and follow the approval and swap prompts. Compare net output; neither venue is always cheaper.

Sources: [8], [12], [1]. Full URLs on page 11.

BUY / 1

Fund your Ethereum wallet.

Coinbase is the bank connection used here. If you already hold ETH and USDC on Ethereum in your MetaMask wallet, continue to page 8.



1 Buy USDC and a gas budget.

Create an account at Coinbase (www.coinbase.com), complete verification and link your bank. Buy the USDC you plan to trade and roughly **$20 of ETH** as a starting gas budget. Review all purchase and transfer fees.

2 Wait until your funds can be sent.

Bank deposits may be held before you can send purchased crypto. Check the **available-to-send amount** and release date shown for your account.

3 Send ETH to MetaMask first.

Complete the setup on page 3. Copy your MetaMask Ethereum address. In Coinbase, send ETH using **Ethereum**; confirm it arrives before continuing.

4 Send USDC to the same address.

Send USDC using **Ethereum** to that same MetaMask address. Make a small test first and check arrival before sending the balance.

Same address does not mean same network.

Choose **Ethereum mainnet** for both transfers. Sending on Base, Arbitrum or another network will not fund this Ethereum workflow.

Sources: [10], [11], [5]. Full URLs on page 11.

BUY / 2

Swap USDC for wTXC.

Identify wTXC by its full contract, not just its name or logo. The USDC you spend and wTXC you receive are both on Ethereum mainnet.

WTXC TOKEN CONTRACT / ETHEREUM MAINNET

`0x9FC65df3997073B8551Ffd617154B5102fACbb88`

Symbol: wTXC | Decimals: 8 | Token identity, not a deposit address

1 Choose USDC as the token to sell.

Open CoW Swap (swap.cow.fi) and connect MetaMask on Ethereum. Set **Sell: USDC**. In the buy-token selector, paste the wTXC contract above and choose **Import**.

2 Check the quote and authorize the trade.

Enter a small USDC amount. Check the wTXC output, fees, minimum received and recipient. Approve USDC if prompted, then review and sign the order. Wait for **Order filled**.

WHAT A COMPLETED BUY LOOKS LIKE

USDC decreases	→ Order fills	→ wTXC increases
The amount you spent	Check the final result	Tokens in your wallet

3 Show the balance in MetaMask.

If wTXC is missing, open **Import tokens / Add custom token**, select Ethereum and paste the address above. Confirm **wTXC** and **8 decimals**. Importing a token changes its display; it does not move funds.

Uniswap alternative: open Uniswap (app.uniswap.org), connect on Ethereum, import this same contract and swap USDC to wTXC. Use the quoted net output to compare. If CoW cannot quote your amount, review the alternative rather than raising slippage blindly.

Sources: [8], [9], [1]. Full URLs on page 11.

BUY / 3 - OPTIONAL

Bring wTXC back to TXC.

You can keep wTXC on Ethereum or redeem it for native TEXITcoin. Unwrapping requires your own native TXC wallet and ETH for the outgoing token transfer.

WTXC TOKEN CONTRACT / ETHEREUM MAINNET

`0x9FC65df3997073B8551Ffd617154B5102fACbb88`

Symbol: wTXC | Decimals: 8 | Token identity, not a deposit address

1 Choose where native TXC will arrive.

In Honest Money (mobile.honest.money), select **TEXITcoin > Receive** and copy your native TXC address. This is the payout destination.

2 Create a wTXC-to-TXC order.

Open the bridge (wtxc.texitcoin.org). Choose **Have wTXC / Want TXC**, enter a small amount and paste your native address into **Send TXC To**. Review the live quote and select **Get Started**.

TWO ADDRESSES. TWO DIFFERENT JOBS.

Your native TXC address

Receives TXC from the bridge.

The new order deposit address

Receives your wTXC on Ethereum.

3 Send wTXC to that order.

Copy the order's **Send wTXC on Ethereum to** address. In MetaMask choose **wTXC > Send**. Compare the address carefully, send the exact order amount on Ethereum, and follow the deadline. Keep ETH for the fee.

4 Confirm that your native TXC arrived.

Wait for the order to complete, then check the TEXITcoin wallet balance and transaction. Save the order ID and transaction hash if you need help.

Fee check: the bridge currently shows 0% for unwrapping. Ethereum gas still applies. The bridge is custodial: you rely on its operator to hold the backing TXC and process redemption.

Sources: [3], [2], [6]. Full URLs on page 11.

TRADE WISELY

Liquidity changes the deal.

A DEX can keep the trading balance in your control, but the price still depends on available liquidity. Inspect the quote before every swap.

Check the live wTXC / USDC market on DEX Screener (dexscreener.com/ethereum/0xaacd8a4525616f6639f23faa16a8e25271d4c9cb). The linked Ethereum pool is Uniswap v2; its balances and price change.

PRICE IMPACT


The effect of your own trade on the price. A larger trade relative to the pool can receive a worse average rate.

SLIPPAGE

The difference between the quote and execution. Slippage tolerance limits how much worsening you accept.

Bigger trades use more of the pool.

Illustration: $30,000 USDC + 150,000 wTXC, ignoring fees.



Bars show the reduction in tokens received versus the pre-trade spot quote for a USDC buy. Illustrative constant-product math, not a live wTXC quote. Actual fees, routing and other trades change the result.

Use the minimum received. Raising slippage tolerance does not remove price impact. Splitting a large order does not automatically fix it: later swaps may still start from the price moved by your earlier trades.

The DEX and the bridge have different risks.

A DEX swap settles through contracts. wTXC still depends on native TXC held by the bridge custodian. Self-custody of the token does not remove that backing risk. Start with a small amount you can afford to lose.

Sources: [15], [13], [14], [3]. Full URLs on page 11.

SOURCES & REFERENCES

Sources you can verify.

Checked September 9, 2026. Footer numbers point to these sources. Menus, fees, limits and liquidity can change; the live quote controls your transaction.

[1] TEXITcoin: wTXC identity and backing
(texitcoin.org/wtxc)

[2] Official TXC / wTXC bridge and current fees
(wtxc.texitcoin.org)

[3] Bridge FAQ: orders, limits and custody
(wtxc.texitcoin.org/faq)

[4] Ethereum: decentralized finance and exchanges
(ethereum.org/defi)

[5] MetaMask: recovery-phrase security
(support.metamask.io/start/user-guide-secret-recovery-phrase-password-and-private-keys)

[6] Honest Money: multi-chain wallet setup
(help.honest.money/kb/mobile-honest-money-wallet-tutorial)

[7] Honest Money: Beekeeper coin and recovery words
(help.honest.money/kb/start-here-seed-phrases-and-cold-storage-coin)

[8] CoW Swap: approvals, orders and completion
(docs.cow.fi/cow-protocol/tutorials/cow-swap/swap)

[9] MetaMask: importing and displaying tokens
(support.metamask.io/manage-crypto/tokens/how-to-display-tokens-in-metamask)

[10] Coinbase: pricing and fee disclosures
(help.coinbase.com/en/coinbase/trading-and-funding/pricing-and-fees/fees)

[11] Coinbase: balances and deposit holds
(help.coinbase.com/en/coinbase/trading-and-funding/sending-or-receiving-cryptocurrency/available-balance-faq)

[12] Coinbase: cashing out to a bank
(help.coinbase.com/en/coinbase/getting-started/add-a-payment-method/instant-cashout)

[13] Uniswap: price impact versus slippage
(support.uniswap.org/hc/en-us/articles/8643794102669-Price-Impact-vs-Price-Slippage)

[14] Uniswap: constant-product pool pricing
(developers.uniswap.org/docs/protocols/v2/concepts/pricing)

[15] DEX Screener: wTXC / USDC pool on Ethereum
(dexscreener.com/ethereum/0xaacd8a4525616f6639f23faa16a8e25271d4c9cb)

THE HONEST MONEY ECOSYSTEM

Stay connected. Keep learning.

TEXITcoin is part of the Honest Money ecosystem (honest.money).

TEXITcoin (texitcoin.org)



Physical TEXITcoin design. Use the Beekeeper setup on page 4 for this guide.

Follow the community

Follow TEXITcoin on X (x.com/TEXITcoin) and join the TEXITcoin Telegram community (t.me/TEXITcoins) for updates and conversation.

More from Mati Allin (x.com/MatiAllin).

EXPLORE MINING

Buy a mining package

Visit Mine Honest Money (mine.honest.money) for current packages. Mining packages are not currently available in **Texas (TX) or Arizona (AZ)**; check current terms and availability.

Need help? Open a ticket at Honest Money support (help.honest.money). Include the order ID and transaction hash. Never send recovery words or private keys.

Educational use only. You are responsible for your keys and transactions; losses can be permanent.